

HS

EXPECT THE BEST




SF19


Excellent adaptable service pistol



SEMI AUTOMATIC / SHORT RECOIL / STRIKER FIRED PISTOL




INDICATORS



FIRING PIN STATUS

Visual and tactile indicator for firing pin. When the firearm is cocked, the pin will protrude out of the rear of the slide.




LOADED CHAMBER

Visual and tactile indicator for barrel chamber. When the loaded chamber indicator is up the bullet is in the chamber.




GRIP SAFETY

Unless the grip safety is properly depressed and deactivated, the firearm will not fire even if the trigger is pulled.



FIRING PIN SAFETY


Does not allow the release of the firing pin without pulling the trigger.



TRIGGER SAFETY

Prevents unintentional moving of the trigger backwards.

AVAILABLE WITH:



THREADED BARREL



OSP



DIFFERENT FRAME COLOURS



SF19 4.5"

Caliber	9x19
Barrel length	116,5 mm
Overall length	193,5 mm
Overall height	145 mm
Width	36,5 mm
Weight with empty mag.	810 g
Magazine capacity	19 rd
Line of sight	170,5 mm



SF19 3.8"

Caliber	9x19
Barrel length	96 mm
Overall length	173 mm
Overall height	145 mm
Width	36,5 mm
Weight with empty mag.	755 g
Magazine capacity	19 rd
Line of sight	150 mm

Mirka Bogovića 7 | 47000 Karlovac | Croatia

Phone: +385 (0)47 666 666 | Fax: +385 (0)47 645 594

E-mail: hs-produkt@hs-produkt.hr | www.hs-produkt.hr

EXPECT THE BEST